# Contents


Preface . . . . . vii
Committees and sponsors . . . . . ix
Contents Parts A and B . . . . . xi

**Part A**

**Section 1. Invited papers**

World power energetics. Fusion reactors. ITER project, *E.P. Velikhov* . . . . . 1
ITER EDA project status, *V.A. Chuyanov* . . . . . 4
Structural materials for ITER in-vessel component design, *G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura* . . . . . 9
Design requirements for plasma facing materials in ITER, *R. Matera, G. Federici and The ITER Joint Central Team* . . . . . 17
Status of silicon carbide composites for fusion, *L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici* . . . . . 26
An overview of safety and environmental considerations in the selection of materials for fusion facilities, *D.A. Petti, K.A. McCarthy, W. Gulden, S.J. Piet, Y. Seki and B. Kolbasov* . . . . . 37
A review of the joining techniques for plasma facing components in fusion reactors, *B.C. Odegard and B.A. Kalin* . . . . . 44
Austenitic stainless steels, status of the properties database and design rule development, *A.-A. Tavassoli and F. Touboul* . . . . . 51
Results of the IAEA benchmark on lifetime predictions of first wall components, *E. Diegele, M. Beghini, L. Bertini, T. Horie, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz, M. Seki, S. Suzuki and G. Vieider* . . . . . 62
Materials for breeding blankets, *R.F. Mattas and M.C. Billone* . . . . . 72
Materials development and testing aspects of IFMIF in the conceptual design stage, *T. Kondo, T.E. Shannon and K. Ehrlich* . . . . . 82
Status of vanadium alloys for fusion reactors, *H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov* . . . . . 92
Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, *C. Kinoshita and S.J. Zinkle* . . . . . 100
Status of beryllium materials for fusion application, *A.M. Khomutov, D.A. Davydov, V.A. Gorokhov, I.B. Kuprijanov, V.S. Mikhailov and Ya.D. Pakhomov* . . . . . 111
Superconductors for the ITER model coils, *A. Shikov* . . . 120
Evaluation of copper alloys for fusion reactor divertor and first wall components, *S.A. Fabritsiev, S.J. Zinkle and B.N. Singh* . . . . . 127
Low-activation ferritic and martensitic steels for fusion application, *A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich* . . . . . 138

**Section 2. Austenitic stainless steels**

Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, *M.L. Grossbeck, L.T. Gibson and S. Jitsukawa* . . . . . 148
Comparison of elastic–plastic fracture toughness of irradiated and cold-worked JPCA using miniaturized DCT specimens, *S. Jitsukawa, K. Shiba, A. Hishinuma, D.J. Alexander and J.E. Pawel* . . . . . 152
Thermal fatigue behaviour for a 316 L type steel, *A. Fissolo, B. Marini, G. Nais and P. Wident* . . . . . 156
Change in the properties of Fe–Cr–Ni and Fe–Cr–Mn austenitic steels under mixed and fast neutron irradiation, *V.K. Shamardin, T.M. Bulanova, V.N. Golovanov, V.S. Neustroyev, A.V. Povstyanko and Z.E. Ostrovsky* . 162
Irradiation creep-fatigue interaction of type 316L stainless steel, *R. Scholz and R. Mueller* . . . . . 169
The impact of transmutant helium on weldability of austenitic steel, *S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko* . . . . . 173
Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, *S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi* . 177
Properties of HIPed stainless steel powder, *Ch. Dellis, G. Le Marois, J.M. Gentzbittel, G. Robert and F. Moret* . 183
Mechanical properties of austenitic stainless steels irradiated at 323 K in the Japan Materials Testing Reactor, *Y. Matsui, M. Niimi, T. Hoshiya, F. Sakurai, S. Jitsukawa, T. Tsukada, M. Ohmi, H. Sakai, R. Oyamada and T. Onchi* . . . . . 188
Microstructural development due to long-term aging and ion irradiation behavior in weld metals of austenitic stainless steel, *K. Nakata, S. Ikeda, S. Hamada and A. Hishinuma* . . . . . 192
Tensile behavior of irradiated manganese-stabilized stainless steels, *R.L. Klueh* . . . . . 197
Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, *J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba* . . . . . 202
Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, *G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton* . . . 207
Welding of irradiated stainless steel, *C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin* . . . . . 213
Reweldability test of irradiated SS316 by the TIG welding method, *K. Tsuchiya, H. Kawamura and R. Oyamada* . 218
Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, *L.A. Belyaeva and V.V. Rybin* . . . . . 224

**Section 3. Ferritic / martensitic stainless steels**

Low temperature embrittlement behaviour of different ferritic-martensitic alloys for fusion applications, *M. Rieth and B. Dafferner* . . . . . 229

Auger spectroscopy study of the stress enhanced impurity segregation in a Cr–Mo–V steel, *A.M. Ilyin and V.N. Golovanov* . . . . . 233
Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, *V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo* . . . . . 236
Structural transition in Fe–Cr alloys under high dose ion irradiation, *V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev* . . . . . 240
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., *T. Sample, P. Fenici and H. Kolbe* . . . . . 244
Effects of thermal treatments on the ductile to brittle transition of MANET steel, *P. Gondi, R. Montanari, A. Sili and M.E. Tata* . . . . . 248
Small-angle neutron scattering microstructural investigation of MANET steel, *G. Albertini, F. Carsughi, R. Coppola, F. Fiori, F. Rustichelli and M. Stefanon* . . . 253
Fracture toughness of the F-82H steel-effect of loading modes, hydrogen, and temperature, *H.-X. Li, R.H. Jones, J.P. Hirth and D.S. Gelles* . . . . . 258
Mechanical properties of low activating martensitic 8–10% CrWVTa steels of type OPTIFER, *L. Schäfer, M. Schirra and K. Ehrlich* . . . . . 264
The effect of small additional elements on the precipitation of reduced activation Fe–9Cr–2W steels, *T. Shibayama, A. Kimura and H. Kayano* . . . . . 270
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250°C$, *J. Bertsch, R. Lindau and A. Möslang* . . . . . 276
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, *M.I. Zakharova, N.A. Artemov and D.V. Petrov* . 280
Thermal and isothermal low cycle fatigue of MANET I and II, *C. Petersen, R. Schmitt and D. Garnier* . . . . . 285
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, *M.B. Toloczko and F.A. Garner* . . . . . 289
Microstructural examination of commercial ferritic alloys at 200 dpa, *D.S. Gelles* . . . . . 293
Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, *A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V. Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova* . 299
In-pile irradiation effected changes in high chromium steel weld joints, *Yu.I. Kazennov, E.A. Krylov, A.V. Minaev, R.Hh. Gibadullin and V.V. Brovko* . . . . . 305
Irradiation response on mechanical properties of neutron irradiated F82H, *K. Shiba, M. Suzuki and A. Hishinuma* . . . . . 309
Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, *T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura* . . . . 313
Irradiation hardening of reduced activation martensitic steels, *A. Kimura, T. Morimura, M. Narui and H. Matsui* . . . . . 319
Microstructure and mechanical properties of newly developed low activation martensitic steels, *M. Victoria, D. Gavillet, P. Spätig, F. Rezai-Aria and S. Rossmann* . . 326
Fatigue performance and cyclic softening of F82H, a ferritic-martensitic steel, *J.F. Stubbins and D.S. Gelles* . . 331
Impact behavior of reduced-activation steels irradiated to 24 dpa, *R.L. Klueh and D.J. Alexander* . . . . . 336
The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, *K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd* . . . . . 342
Fracture behavior of surface cracked panels of HT-9 at low temperatures, *M. Enmark, K. Edsinger, G. Lucas and G.R. Odette* . . . . . 347
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, *M. Rieth, B. Dafferner and H.D. Röhrig* . . . . . 351

**Section 4. Vanadium alloys**

Reference vanadium alloy V–4Cr–4Ti for fusion application, *D.L. Smith, H.M. Chung, B.A. Loomis and H.-C. Tsai* . . . . . 356
Radiation damage features V–2.5Zr–0.35C alloy welds, *V. Kazakov, V. Chakin and Z. Ostrovsky* . . . . . 364
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, *S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj* . . . . . 370
Hydrogen gas driven permeation through vanadium alloy VCr6Ti5, *O.G. Romanenko, I.L. Tazhibaeva, V.P. Shestakov, A.Kh. Klepikov, Y.V. Chikhray, A.V. Golossanov and B.N. Kolbasov* . . . . . 376
Irradiation creep of V–Ti–Cr alloy in BR-10 reactor core instrumented experiments, *V.M. Troyanov, M.G. Bulkanov, A.S. Kruglov, E.A. Krjuchkov, M.P. Nikulin, J.M. Pevchykh, A.E. Rusanov, A.A. Smirnoff and S.N. Votinov* . . . . . 381
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, *A.V. Fedorov, A. van Veen and A.I. Ryazanov* . . . . . 385
Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, *V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev* . . . 390
V–Ga-based alloys as candidate materials for fusion reactor application, *L.I. Ivanov, Yu.M. Platov, A.I. Dediurin, I.V. Borovitskaia, V.M. Lazorenko, N.N. Savvateev, V.V. Sidorova, M.I. Zakharova and N.A. Artemov* . . . . . 395
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, *N. Sekimura, T. Iwai and F.A. Garner* . . . . . 400
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, *F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura* . . . . . 406
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, *S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma* . . . . . 411

Electroslag remelt processing of irradiated vanadium alloys, *W.J. Carmack, G.R. Smolik and K.A. McCarthy* . 416
Utilization of vanadium alloys in the DIII-D radiative divertor program, *J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom* . . . 421
Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, *M. Satou, K. Abe and H. Kayano* . 426
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, *N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev* . . . . . 431
Manufacture of semifinished items of alloys V–4Ti–4Cr and V–10Ti–5Cr for use as a structural material in fusion applications, *M.M. Potapenko, V.A. Drobishev, V.Y. Filkin, I.N. Gubkin, V.V. Myasnikov, A.D. Nikulin, E.N. Shingarev, G.P. Vedernikov, S.N. Votinov, V.S. Zurabov and A.B. Zolotarev* . . . . . 438
The trapping of hydrogen ions in vanadium and titanium, *V.L. Arbuzov, V.B. Vykhodets and G.A. Raspopova* . . 442
Tensile behavior of helium charged V–Ti–Cr–Si type alloys, *M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui* . . . . . 447
The vanadium alloys technological and corrosion studies in construction and operation of liquid metal facilities for fusion reactor, *A.V. Vertkov, V.A. Evtikhin and I.E. Lyublinski* . . . . . 452
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, *V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev* . . . . . 456
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, *O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg* . . . . . 460
Properties of vanadium-base alloys irradiated in the Dynamic Helium Charging Experiment, *H.M. Chung, B.A. Loomis and D.L. Smith* . . . . . 466
CaO insulator coatings and self-healing of defects on V–Cr–Ti alloys in liquid lithium system, *J.-H. Park and T.F. Kassner* . . . . . 476
Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, *K. Natesan and W.K. Soppet* . . . . 482
Fatigue and crack growth behavior of V–Cr–Ti alloys, *B.G. Gieseke, C.O. Stevens and M.L. Grossbeck* . . . . 488
Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, *M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani* . . . . . 492
Recovery and recrystallization of vanadium alloys, *A.N. Gubbi and A.F. Rowcliffe* . . . . . 497
Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, *G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd* . . . . . 502
Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, *Yu.G. Bobrov and V.V. Iroshnikov* . . . . 507
Hydrogen transport and embrittlement for palladium coated vanadium–chromium–titanium alloys, *R.E. Buxbaum, R. Subramanian, J.H. Park and D.L. Smith* . . . . . 510

**Section 5. Copper alloys**

Low-temperature radiation embrittlement of copper alloys, *S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle and D.J. Edwards* . . . . . 513
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, *D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell* . . . . . 519
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, *S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash* . . . . . 526
Structural aspects of materials hardening, *A.V. Naberenkov and S.A. Fabritsiev* . . . . . 534
Radiation-induced creep of copper, aluminium and their alloys, *E.S. Aitkhozhin and E.V. Chumakov* . . . . . 537
GlidCop® DSC properties in the temperature range of 20–350°C, *R.R. Solomon, J.D. Troxell and A.V. Nadkarni* . . . . . 542
Fatigue behavior of copper and selected copper alloys for high heat flux applications, *K.D. Leedy, J.F. Stubbins, B.N. Singh and F.A. Garner* . . . . . 547
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, *A. Ivanov, V. Abramov and M. Rodin* . . . . . 553

**Section 6. Refractory metals and alloys**

Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, *H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka* . . . . . 557
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, *A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba* . . . . . 565
Radiation embrittlement of low-alloyed Mo alloys, *V. Chakin and V. Kazakov* . . . . . 570
Formation of the σ-phase in Cr–Fe alloys under irradiation, *V. Chakin, V. Kazakov, Yu. Goncharenko and Z. Ostrovsky* . . . . . 573
The influence of heat treatments on neutron irradiated Nb–1Zr alloy, *H. Watanabe, K. Yasunaga, T. Muroga, N. Yoshida and F.A. Garner* . . . . . 577
Mass transfer in refractory alloy–stainless steel–liquid lithium heterogeneous system, *V.A. Ivanov, Y.N. Afonina and V.A. Soloviev* . . . . . 581

**Section 7. Miscellaneous materials**

XHM-1 alloy as a promising structural material for water-cooled fusion reactor components, *M.I. Solonin, A.B. Alekseev, Yu.I. Kazennov, V.F. Khramtsov, V.P. Kondrat'ev, T.A. Krasina, V.N. Rechitsky, V.N. Stepankov and S.N. Votinov* . . . . . 586
Use of titanium in the tokamak physics experiment (TPX), *J.W. Davis, G.W. Wille and P. Heitzenroeder* . . . . . 592
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, *L.S. Topchishvili* . . . . . 596

Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, *T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami* . . . . . 599

**Section 8. High heat flux materials**

Use of tungsten coating on iter plasma facing components, *J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson* . . . . . 604

Preliminary characterization of interlayer for Be–Cu functionally gradient materials, *N. Sakamoto and H. Kawamura* . . . . . 609

Progressive bending deformations of first wall structures under cyclic thermomechanical loading, *J. Wolters, G. Breitbach, M. Rödig and H. Nickel* . . . . . 612

Analysis of a beryllium–copper diffusion joint after HHF test, *R.N. Guiniatouline, I.V. Mazul, A.E. Gorodetsky, R.Kh. Zalavutdinov, S.Yu. Rybakov and V.I. Savenko* . 616

Experimental results of the thermal fatigue tests for I.A.E.A. benchmark components, *M. Merola, R. Matera and F. Sevini* . . . . . 620

Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, *A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov* . . . . . 626

Manufacturing and testing of a Be/OFHC–Cu divertor module, *M. Araki, D.L. Youchison, M. Akiba, R.D. Watson, K. Sato and S. Suzuki* . . . . . 632

High heat load test on tungsten and tungsten containing alloys, *M. Fujitsuka, I. Mutoh, T. Tanabe and T. Shikama* . . . . . 638

Manufacturing and high heat flux loading of tungsten coatings on fine grain graphite for the ASDEX-Upgrade divertor, *S. Deschka, C. García-Rosales, W. Hohenauer, R. Duwe, E. Gauthier, J. Linke, M. Lochter, W. Mallέner, L. Plöchl, P. Rödhammer and A. Salito* . 645

Research of the capillary structure heat removal efficiency under divertor conditions, *V.I. Pistunovich, A.V. Vertkov, V.A. Evtikhin, V.M. Korjavin, I.E. Lyublinski, V.B. Petrov, B.I. Khripunov and V.V. Shapkin* . . . . . 650

Plasma facing component design for steady state tokamak SST-1, *S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team* . . . . . 655

High heat flux testing of CFC composites for the tokamak physics experiment, *P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III* . . . . . 660

Development of a liquid-metal fusion reactor divertor with a capillary-pore system, *L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov* . . . . . 667

**Section 9. Plasma facing materials and plasma-materials interaction**

Composition of the plasma facing material Tokamakium, *R. Behrisch, M. Mayer and C. García-Rosales* . . . . . 673

Investigation of the beryllium ion–surface interaction, *M.I. Guseva, A.Yu. Birukov, V.M. Gureev, L.S. Daneljan, S.N. Korshunov, Y.V. Martynenko, P.S. Moskovkin, Yu.A. Sokolov, V.G. Stoljarova, V.S. Kulikauskas and V.V. Zatekin* . . . . . 682

On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, *G.G. Bondarenko and Ya.Ya. Udris* . . . . . 688

Sputtering of Be, V and Cu under irradiation by double-component polyenergetic beam of $He^+$ and $Ar^+$, *B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo* . . . . 692

On a possibility of explosive material erosion under conditions of ITER disruption event, *A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz* . . . . . 697

Lifetime of Be-, CFC- and W-armoured ITER divertor plates, *I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl* . . . . . 701

Potential of nanocrystalline low-Z materials for plasma facing, structural applications in fusion reactors, *R. Vaßen, A. Kaiser and D. Stöver* . . . . . 708

Lifetime evaluation of plasma-facing materials during a tokamak disruption, *A. Hassanein and I. Konkashbaev* 713

Selection, development and characterisation of plasma facing materials for ITER, *V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider* . . . . . 718

A basic study on erosion–redeposition processes in the boundary plasma region, *S. Matsuyama, K. Yamaguchi, S. Tanaka and M. Yamawaki* . . . . . 724

Erosion of newly developed CFCs and Be under disruption heat loads, *K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig* . . . . . 730

Characteristics of transient plasma layers produced by irradiation of graphite targets by high power quasi-stationary plasma streams under the disruption simulation conditions, *V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko and H. Wuerz* . . . . . 736

Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, *G. Federici, D.F. Holland and R. Matera* . . . . . 741

Erosion and gas impurity emission of $B_4C$ converted CFC by high heat load, *K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh* . . . . . 747

Feature of candidate PFC materials erosion, *L.B. Begrambekov* . . . . . 754

The melting of tungsten during plasma disruptions, *G. Tsotridis* . . . . . 758

Features of dynamics and structure of the shielding layer at the interaction of plasma flow with target, *V.G. Belan, V.F. Levashov, V.S. Maynashev, A.D. Muzichenko and V.L. Podkovirov* . . . . . 763

Study of structure and dynamics of shielding layer for inclined incidence of plasma stream at MK-200 facility, *N.I. Arkhipov, V.P. Bakhtin, S.M. Kurkin, V.M. Safronov, D.A. Toporkov, S.G. Vasenin, H. Wuerz and A.M. Zhitlukhin* . . . . . 767

Research on plasma-facing component materials, *J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda* . . . . . 771
Retention and desorption of implanted deuterium of high-Z plasma facing materials, *R. Sakamoto, T. Muroga and N. Yoshida* . . . . . 776
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, *R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya* . . . . . 781
The performance of thick $B_4C$ coatings on graphite divertor tiles in the DIII-D tokamak, *O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks* . . . . . 787
Erosion and deposition of metals and carbon in the DIII–D divertor, *W.R. Wampler, R. Bastasz, D. Buchenauer, D. Whyte, C.P.C. Wong, N.H. Brooks and W.P. West* . . . 791
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, *H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi* . . . . . 798
Re-emission and thermal desorption of deuterium from plasma sprayed tungsten coatings for application in ASDEX-upgrade, *C. García-Rosales, P. Franzen, H. Plank, J. Roth and E. Gauthier* . . . . . 803
Heat flux experiments on first wall mock-ups coated by plasma sprayed $B_4C$, *H. Bolt, M. Araki, J. Linke, W. Malléner, K. Nakamura, R.W. Steinbrech and S. Suzuki* 809
Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, *A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan* . . . . . 814
Investigation of the candidate divertor materials erosion at the powerful electron beam, *V. Engelko, A. Andreev, T. Burtseva, O. Komarov, V. Kovalev, B. Ljublin and H. Wuerz* . . . . . 818

Author index Parts A and B . . . . . xxi
Subject index Parts A and B . . . . . xliii

**Part B**

**Section 10. Beryllium**

Neutron irradiated beryllium: tensile strength and swelling, *F. Moons, L. Sannen, A. Rahn and J. Van De Velde* . . 823
New beryllium materials, *G.F. Tikhinskij, P.I. Stoev, I.I. Papirov, A.V. Babun and A.A. Vasil'ev* . . . . . 828
Theoretical assessment of irradiation swelling in beryllium, *V.I. Dubinko and V.R. Barabash* . . . . . 832
Hydrogen release from reactor-irradiated beryllium, *A.Kh. Klepikov, I.L. Tazhibaeva, V.P. Shestakov, O.G. Romanenko, Y.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin and L.N. Tikhomirov* . . . . . 837
High-temperature beryllium embrittlement, *A.S. Pokrovsky, S.A. Fabritsiev, R.M. Bagautdinov and Yu.D. Goncharenko* . . . . . 841
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, *R.D. Abelson and M.A. Abdou* . . . . . 847
Stability of the Be–steam reaction and its impact on safety, *F. Andritsos and D.A. Sarigiannis* . . . . . 852
Dynamics of accumulation of implanted hydrogen in beryllium, *I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov* . . . . . 857
Gas-induced swelling of beryllium implanted with deuterium ions, *V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov* . . . . . 860
Thermal desorption of deuterium implanted into beryllium, *A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov* . . . . . 865
Deuterium accumulation in beryllium in contact with atomic deuterium at 740 K, *V.M. Sharapov, L.E. Gavrilov, V.S. Kulikauskas and A.V. Markin* . . . . . 870
Radiation damage and deuterium trapping in deuterium ion injected beryllium, *N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga* . . . . . 874
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, *D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov* . . . . . 880
Research and development of radiation resistant beryllium grades for nuclear fusion applications, *I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov* . . 886
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of $1.72 \times 10^{21}$ $n/cm^2$ ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, *G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash* . . . . . 891
Retention and re-emission of hydrogen in beryllium studied by the ERD technique, *B. Tsuchiya and K. Morita* . 898

**Section 11. Joints**

Braze joints of dispersion strengthened copper, *S. Chen, T. Bao and B.A. Chin* . . . . . 902
Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, *P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine* . 906
Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, *K. Tsuchiya and H. Kawamura* . . . . . 913
The methods of detection and the analysis of welded and brazed joint defects emerging during ITER components manufacturing, *T.M. Gurieva and V.T. Pronyakin* . . . 918
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, *S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki* . . . . . 922
HIP'ing of copper alloys to stainless steel, *G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret* . . . . . 927
Macroblock manufacturing by 'hip assisted brazing' method, *G. Chaumat, P. Le Gallo, G. Le Marois, F. Moret and P. Deschamp* . . . . . 932

Development of Al–Ge base rheocast brazing alloys, *F. Saint-Antonin, M. Suéry, P. Meneses, G. Le Marois and F. Moret* . . . . . 935
Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, *S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu* . . . . . 940
Application of amorphous and microcrystalline filler metals for brazing of beryllium with metals, *B.A. Kalin, V.T. Fedotov, O.N. Sevryukov, A.E. Grigoryev, A.N. Plyuschev, V.M. Ivanov and Yu.S. Strebkov* . . . . . 945
Joining of CMCs for thermonuclear fusion applications, *M. Salvo, M. Ferraris, P. Lemoine, M. Appendino Montorsi and M. Merola* . . . . . 949
Neutron diffraction study of internal stresses in brazed divertor structures for ITER, *G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini* . . . . . 954

**Section 12. Radiation damage and radiation effects; modeling**

Comparison of elastic and non-elastic displacement damage under light ion simulation irradiation, *E. Daum, J. Bertsch, A. Möslang and K. Ehrlich* . . . . . 959
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, *W. Schüle* . . . . . 964
On the recovery stages in fcc materials, *W. Schüle* . . . . . 969
Displacement rate dependence of irradiation creep as predicted by the production bias model, *C.H. Woo and F.A. Garner* . . . . . 974
Monte Carlo simulation of cascade-induced mixing in two-phase systems, *A.A. Turkin, C. Abromeit and V. Naundorf* . . . . . 979
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, *H. Shiraishi* . . . 985
Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, *Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin* . . . . . 991
Molecular dynamics calculations of point defect diffusion coefficients . in vanadium, *A.M. Minashin and V.A. Ryabov* . . . . . 996
Point defect survival and clustering fractions obtained from molecular dynamics simulations of high energy cascades, *R.E. Stoller* . . . . . 999
Interaction between the deformation and the irradiation defect clusters in austenitic steels, *L. Boulanger, F. Soisson and Y. Serruys* . . . . . 1004
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, *V.A. Pechenkin and G.A. Epov* . . . . . 1009
Comparison of mechanical properties of metals irradiated with fission and fusion neutrons, *A. Okada, K. Hamada, I. Ishida, E. Hirota, M. Kiritani and T. Yoshile* . . . . . 1016
Rate theory modeling of defect evolution under cascade damage conditions: the influence of vacancy-type cascade remnants on defect evolution, *Y. Katoh, T. Muroga, A. Kohyama, R.E. Stoller and C. Namba* . . . 1022
Characterization of cascade-induced defect production by microstructural analysis based on rate theory modeling, *Y. Katoh and T. Muroga* . . . . . 1029
Dislocation evolution in a model and a candidate ferritic alloy during steady and varying temperature electron irradiations, *T. Muroga, Y. Nonaka and N. Yoshida* . . 1035
Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, *K. Ono, R. Sakamoto, T. Muroga and N. Yoshida* . . . . . 1040
Fluctuations of point-defect fluxes to sinks under cascade damage irradiation, *A.A. Semenov and C.H. Woo* . . . 1045
Nucleation and growth process of defect clusters in copper during helium ion irradiation, *K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai* . . . . . 1051
Microstructural evolution in Fe–Cr–Ni alloy irradiated with Ni ion under varying temperature, *Q. Xu, H. Watanabe and N. Yoshida* . . . . . 1057
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, *A.V. Kozlov and V.V. Kirsanov* . . . . . 1062
Radiation annealing of defects under the effect of γ-radiation, *V.A. Nikolaenko and V.I. Karpukhin* . . . . . 1067
The dependence of void swelling bias factor on iron concentration in V–Fe alloys, *Yu.V. Konobeev, V.A. Pechenkin and S.I. Rudnev* . . . . . 1070
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, *A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier* . . 1076
Primary knock-on atom energy dependence of cascade damage formation and interaction, *N. Sekimura* . . . . 1080
Model for the final stage of creep failure due to high temperature helium embrittlement, *A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus* . . . . . 1085
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, *H. Trinkaus, B.N. Singh and M. Victoria* . . . . . 1089
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, *T. Díaz de la Rubia, J.M. Perlado and M. Tobin* . . . . . 1096

**Section 13. Hydrogen and helium in materials**

Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), *A. Perujo, E. Serra, H. Kolbe and T. Sample* . . . . . 1102
Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, *B.G. Skorodumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov* . . . . . 1107
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, *A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov* . . . . . 1113
Hydrogen migration in stainless steel and alloys stimulated by ionizing radiation, *I.P. Chernov, A.P. Mamontov, Y.I. Tjurin and Y.P. Cherdantsev* . . . . . 1118
Reversible and irreversible hydrogen trapping in metals: New computer-based code THYDA, *R. Valentini, A. Solina, L. Tonelli, S. Lanza, G. Benamati and A. Donato* . . . . . 1123

Hydrogen behavior in carbon-based materials and its neutron irradiation effect, *H. Atsumi, M. Iseki and T. Shikama* . . . . . 1128
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, *N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov* . . . . . 1133
Plasma-driven accumulation of tritium in beryllium, *A.A. Pisarev and M.L. Grachova* . . . . . 1137
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, *B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev* . . . . . 1142
Hydrogen penetration through structural materials under ion bombardment, *A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi* . . . 1148
Changes of mechanical properties of structural materials under radiation hydrogen saturation, *A.P. Komissarov, G.G. Bondarenko and K.A. Kostin* . . . . . 1154
Hydrogen isotopes mobility and trapping in V–Cr–Ti alloys, *N. Budylkin, L. Voloschin, E. Mironova, N. Riazantseva and V. Tebus* . . . . . 1160
Effect of tritium and helium-3 on the lifetime properties of Pd–Ag alloys in ITER tritium purification technology, *V. Tebus, L. Rivkis, G. Arutunova, Y. Golykov, E. Dmytrevskay, V. Fylin and L. Panteleev* . . . . . 1163
Helium effect on the structure of Fe–0.6C–16Cr–15Ni–3Mo–0.5Nb steel, *S.P. Vagin, B.D. Utkelbayev and P.V. Chakrov* . . . . . 1168
Hydrogen isotope permeability through austenitic Cr–Ni steels under neutron irradiation, *B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov and A.V. Kozlov* . . . . . 1174
Gas release processes for high concentrations of helium bubbles in metals, *J.H. Evans and A. van Veen* . . . . 1179
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, *V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev* . . . . . 1184
Radiogenic helium thermodesorption from titanium tritide, *A.I. Vedeneev, V.N. Lobanov and S.V. Starovoitova* . . 1189
Study of hydrogen isotope permeation through some construction materials, *A.A. Yukhimchuk and V.K. Gaevoy* 1193
Hydrogen release of reactor irradiated RGT-graphite, *I.L. Tazhibaeva, A.Kh. Klepikov, V.P. Shestakov, O.G. Romanenko, E.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin, L.N. Tikhomirov and V.A. Zverev* . . . . . 1198
Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, *I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya* . . . . . 1202
Hydrogen adsorption on and solubility in graphites, *S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler* 1207
Isotope difference between hydrogen inventories in graphite under simultaneous $H^+$ and $D^+$ irradiation, *B. Tsuchiya and K. Morita* . . . . . 1213
Molecular hydrogen interaction with unirradiated graphite, *E. Denisov, T. Kompaniets, A. Kurdyumov and S. Mazayev* . . . . . 1218
Comparison of electron and ion irradiation effects on order–disorder transition in $Ni_4Mo$, *S. Banerjee and M. Sundararaman* . . . . . 1223

**Section 14. Diagnostic materials**

Radiation tests of ITER diagnostic system materials in the BOR-60 reactor, *Yu.L. Revyakin, V.M. Kosenkov, S.E. Bender and V.A. Belyakov* . . . . . 1229
Imitation of influence of plasma and neutron fluxes on graphite made plasma-facing components of plasma diagnostics in mm and sub-mm wavelength range, *V.L. Berezhnyj, V.V. Chebotarev, I.P. Fomin, I.E. Garkusha, V.L. Ocheretenko, R.O. Pavlichenko, A.I. Skibenko, D.E. Solyakov, V.I. Tereshin, V.S. Voitsenya, A.N. Topkov, O.K. Chugunov, Yu.V. Skosyrev and D.V. Orlinskij* . . . . . 1233
Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, *V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T. Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov* . . 1239
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, *N. Kishimoto, H. Amekura, K. Kono and T. Saito* . . . . . 1244
Metal–insulator transition in $Si_{0.7}Ge_{0.3}$ disordered by fast neutron radiation, *A.V. Zhidkov* . . . . . 1249

**Section 15. Ceramics and composites**

Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, *V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov* . . . . . 1253
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, *A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski* . . . . . 1257
Formation of permeation barriers on ceramic SiC/SiC composites, *C. Racault, E. Serra and P. Fenici* . . . . 1262
Ceramic SiC/$B_4C$/TiC/C composites as plasma facing components for fusion reactors, *A. Yehia, R. Vaßen, R. Duwe and D. Stöver* . . . . . 1266
Stability of SiC/SiC composites in environments containing $O_2$ and $H_2$, *G.D. Springer, C.F. Windisch, Jr. and R.H. Jones* . . . . . 1271
Effect of neutron irradiation on passive oxidation of silicon carbide, *T. Yano, M. Suzuki, H. Miyazaki and T. Iseki* . 1275
Application of micro-indentation to irradiated alumina and vanadium/alumina joints, *A. Hasegawa, Y. Kawamura, M. Satou and K. Abe* . . . . . 1279
Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, *M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada* . . . 1284

**Section 16. Dielectrics, insulators, windows, optics**

Electrical resistivity of ceramic insulators under irradiation using 14 MeV neutrons, *K. Noda, T. Nakazawa, Y. Oyama, D. Yamaki and Y. Ikeda* . . . . . 1289

Electrical conductivity of the ceramic AlN under irradiation, *R. Lindau and A. Möslang* . . . . . 1294
Surface and volume electrical degradation in Wesgo AL995, *A. Moroño and E.R. Hodgson* . . . . . 1299
Investigations on radiation-induced processes in dielectric materials, *V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov* . . . . . 1304
Accumulation of stable optical centres in silica glasses under pulse beam irradiation, *V.T. Gritsyna, T.A. Bazilevskaya, V.S. Voitsenya, D.V. Orlinski and Yu.A. Tarabrin* . . . . . 1310
Destruction and discharge phenomena in irradiated glasses, *A.I. Akishin and L.I. Tseplyayev* . . . . . 1318
Luminescence characterization of radiation damage of $\alpha$-$Al_2O_3$ under 1 MeV/amu ion irradiation, *V.A. Skuratov, V.A. Altynov and S.M. Abu AlAzm* . . . . . 1321
Microstructural evolution of single crystalline $Al_2O_3$ irradiated with single and triple ion beams, *Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda* . . . . . 1325
Measurements of electrical conductivity of ceramics under electron irradiation in a high voltage electron microscope, *K. Shiiyama, T. Izu, C. Kinoshita and M. Kutsuwada* . . . . . 1332
Optical and dielectric properties of neutron irradiated $MgAl_2O_4$ spinels, *A. Ibarra, R. Vila and F.A. Garner* . 1336
Dielectric properties during electron irradiation of alternative materials for gyrotron windows, *R. Vila, A. Ibarra and E.R. Hodgson* . . . . . 1340
Energetic particle induced luminescence of $Al_2O_3$, *T. Tanabe, M. Fujiwara and K. Miyazaki* . . . . . 1344
Fracturing of borides under neutron irradiation, *E.U. Grinik, V.V. Ogorodnikov and A.G. Krainy* . . . . . 1349
Luminescence studies on electron and structural states in dielectrics under irradiation, *O.A. Plaksin, V.A. Stepanov, P.A. Stepanov, V.M. Chernov and V.A. Skuratov* . . . . . 1355

**Section 17. Corrosion, compatibility**

Evaluation of stainless steels for their resistance to intergranular corrosion, *A.B. Korostelev, V.Ya. Abramov and V.N. Belous* . . . . . 1361
An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, *V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov* . . . . . 1364
Corrosion resistance of austenitic steels and alloys in high temperature water, *A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev* . . . . . 1367
The effect of water radiolysis on the stress corrosion behavior of UNS S31600 stainless steel at 50 and 90°C, *W.E. Wyllie II, D. Steiner and D.J. Duquette* . . 1372
Alloying of aluminum and its influence on the properties of aluminide coatings: oxidation behavior and the chemical stability in Pb–17Li, *H. Glasbrenner, Z. Peric and H.U. Borgstedt* . . . . . 1378
Compatibility of refractory metals and beryllium with molten Pb–17Li, *H. Feuerstein, H. Gräbner, J. Oschinski and S. Horn* . . . . . 1383
Stress corrosion cracking of AISI 316LN stainless steel in ITER primary water conditions, *P. Lorenzetto, M. Hélie and A. Molander* . . . . . 1387
Effect of minor elements on irradiation assisted stress corrosion cracking of model austenitic stainless steels, *Y. Miwa, T. Tsukada, S. Jitsukawa, S. Kita, S. Hamada, Y. Matsui and M. Shindo* . . . . . 1393
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, *M.-F. Maday* . . . . . 1397

**Section 18. Coatings and barriers**

Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, *K. Natesan* . . . 1403
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, *L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies* . . . . . 1411
Experimental study of electroinsulating coatings in gallium coolant related to the divertor cooling loop, *A.V. Beznosov, R.V. Sherbakov, I.V. Karatushina and P.V. Romanov* . . . . . 1416
Compatibility of yttria ($Y_2O_3$) with liquid lithium, *T. Terai, T. Yoneoka, H. Tanaka, A. Suzuki, S. Tanaka, M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada* . . . . . 1421
Trial fabrication and preliminary characterization of MgO $\cdot$ $Al_2O_3$ coating, *M. Nakamichi, H. Kawamura, K. Miyajima, Y. Harada and R. Oyamada* . . . . . 1427

**Section 19. Breeding and neutron multiplier materials**

Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, *N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel* . . . . . 1431
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, *M.G. Barker, D.J. Siddons and F. Barbier* . . . . . 1436
Effect of purge gas oxidizing potential on tritium release from Li-ceramics and on its permeation through 316L SS clads under irradiation (TRINE experiment), *C. Alvani, J. Avon, S. Casadio, M.A. Fütterer, M.R. Mancini, C.A. Nannetti, S. Ravel, N. Roux, L. Sedano, V. Violante, A. Terlain, M. Tourasse, S. Tosti and M. Zanotti* . . . . . 1441
EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, *J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall* . . . . . 1446
Sweep gas chemistry effect on vaporization of $LiAlO_2$, *A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi* 1452
Microstructure and density changes of $Li_2O$ during irradiation in BEATRIX-II, Phase I and II, *T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs* . . . . . 1457
Thermal and tritium transport in $Li_2O$ and $Li_2ZrO_3$, *M.C. Billone* . . . . . 1462

**Section 20. Neutronics, activation, transmutation, low-activation criteria**


Waste management aspect of lithium–vanadium alloy based fusion blankets, *E.T. Cheng* . . . . . 1467
Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, *T. Noda* . . . . . 1475
Effect of neutron spectrum on transmutant accumulation in ITER structural materials, *A.V. Karasiov and S.A. Fabritsiev* . . . . . 1481
Low-activation properties of novel Cr-based materials for fusion reactors, *M. Zucchetti and M. Merola* . . . . . 1486
Effect of neutron spectra on the transmutation of first wall materials, *T. Noda and M. Fujita* . . . . . 1491
Si isotope separation for low activation, *T. Noda, H. Suzuki, H. Araki and M. Okada* . . . . . 1496
Recycling and clearance of fusion activated waste, *P. Rocco and M. Zucchetti* . . . . . 1500
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components, *G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti* . 1505
Activation characteristics of concrete shields containing colemanite, *Y. Yarar* . . . . . 1511
Prospect of development and manufacturing of low activation metallic materials for fusion reactor, *N.P. Lyakishev, E.V. Dyomina, L.I. Ivanov, V.P. Kolotov, V.I. Kashin, Yu. Platov, N.N. Savvateev and N.A. Vinogradova* . . . . . 1516
Activation analysis and materials choice in the laser fusion reactor KOYO, *J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz* . . . . . 1523
Hydrogen generation arising from the $^{59}$Ni(n, p) reaction and its impact on fission–fusion correlations, *L.R. Greenwood and F.A. Garner* . . . . . 1530


**Section 21. Experimental facilities, techniques**


History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, *S. Ishino* . . . . . 1535
Low temperature irradiation experiments and material testing in Petten, *E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia* . . . . . 1541
Deuteron beam interaction with lithium jet in a neutron source test facility, *A. Hassanein* . . . . . 1547
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, *E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov* . . . . . 1552
A miniaturized test method for the mechanical characterization of structural materials for fusion reactors, *P. Gondi, A. Donato, R. Montanari and A. Sili* . . . . . 1557
Development of triple fission technique for simulating fusion neutron irradiation, *H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano* . . . . . 1561
Vanadium–lithium in-pile loop for comprehensive tests of vanadium alloys and multipurpose coatings, *I.E. Lyublinski, V.A. Evtikhin, V.B. Ivanov, V.A. Kazakov, V.M. Korjavin, V.K. Markovchev, R.R. Melder, Y.L. Revyakin and V.N. Shpolyanskiy* . . . . . 1568
Complex research facility to study radiation effect on the interaction of hydrogen-bearing media with candidate materials under irradiation, *B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov, L.I. Menkin, V.F. Lisovoy and S.Yu. Mitrofanov* . . . . . 1573
Neutron irradiation characteristics in international fusion materials irradiation facility, *Y. Oyama, K. Noda, K. Kosako and N. Yamano* . . . . . 1577
New electron beam facility for irradiated plasma facing materials testing in hot cell, *S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura* . . . 1582
New methods of materials irradiation with high energy ($\geq$ 1 MeV) charged particles, *V.F. Reutov* . . . . . 1586
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, *E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov* . . . . . 1590


**Section 22. Data bases and data nets**


ITER material properties handbook, *J.W. Davis and P.D. Smith* . . . . . 1593
Material properties database for plasma facing components for fusion reactors, *R.A. Langley and J. Botero* . . . . 1597
FENDL: International reference nuclear data library for fusion applications, *A.B. Pashchenko, H. Wienke and S. Ganesan* . . . . . 1601
Summary of oxidation driven mobilization data and their use in fusion safety assessments, *K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti* . . . . . 1607
NIFS information network for fusion engineering research in Japanese Universities, *C. Namba, A. Kohyama and Y. Katoh* . . . . . 1612

Author index Parts A and B . . . . . 1617
Subject index Parts A and B . . . . . 1639